

PRICE GROUP	DESCRIPTION	DISCOUNT MULTIPLIER
02	SCH 80 PVC through 8"	
92	SCH 80 PVC 10" AND LARGER	
VB	GASKET for FLANGE	




PRODUCTS | PRICE LIST


# SCHEDULE 80 PVC PRESSURE FITTINGS

**INCLUDES: SCHEDULE 80 PVC 1/4" TO 12"**

# Why LASCO Recommends Sealant in Threaded Joints




Teflon tape, when compressed between male and female threads in PVC fittings joints, can cause deformation, leading to leakage, and possibly, to cracked female fittings.



Sealant, when compressed between threads, flows outward to achieve an effective seal against leakage in PVC fittings.

## Flange Installation Data

### Gaskets and Bolts



1. Recommended Gaskets: full face  $\frac{1}{8}$ " thick, elastomeric, 50-70 Shore A hardness
2. Bolt Threads should be well lubricated.
3. Nut and bolt threads should be free-running during assembly
4. Follow illustrated bolt-tightening sequence.
5. Always use full size flat washers with bolts and nuts.

**NOTE:** Flanges conform to ANSI B16.5, Class 150.  
Socket diameters conform to ASTM D-2467.  
Recommended working pressure: 150 psi @ 73.4°F.  
Flanges not NSF listed.  
Use primer and heavy bodied PVC cement.

Size	Bolt Circle Diameter	Number of Bolts	Bolt Size (UNC x Length)	Recommended Torque (Ft./Lbs.)
$\frac{1}{2}$	2.37	4	$\frac{1}{2} - 13 \times 1\frac{3}{4}$	15-20
$\frac{3}{4}$	2.75	4	$\frac{1}{2} - 13 \times 1\frac{15}{16}$	15-20
1	3.12	4	$\frac{1}{2} - 13 \times 2$	15-20
$1\frac{1}{4}$	3.50	4	$\frac{1}{2} - 13 \times 2\frac{1}{4}$	15-20
$1\frac{1}{2}$	3.87	4	$\frac{1}{2} - 13 \times 2\frac{3}{4}$	15-20
2	4.75	4	$\frac{5}{8} - 11 \times 3$	20-30
$2\frac{1}{2}$	5.50	4	$\frac{5}{8} - 11 \times 3\frac{1}{4}$	20-30
3	6.00	4	$\frac{5}{8} - 11 \times 3\frac{5}{8}$	20-30
4	7.50	8	$\frac{5}{8} - 11 \times 3\frac{3}{4}$	20-30
5	8.50	8	$\frac{3}{4} - 10 \times 3\frac{3}{4}$	25-35
6	9.50	8	$\frac{3}{4} - 10 \times 4\frac{3}{8}$	33-50
8	11.75	8	$\frac{3}{4} - 10 \times 4\frac{3}{8}$	33-50
10	14.25	12	$\frac{7}{8} - 9 \times 4\frac{1}{2}$	53-75
12	17.00	12	$\frac{7}{8} - 9 \times 4\frac{5}{8}$	53-75



Slip x Slip x Slip

TEE				
Part No	Size (in)	Ctn Qty	Code	List Price
801-002	¼	25	02	10.34
801-003	⅜	50	02	10.34
801-005	½	25	02	10.34
801-007	¾	25	02	10.82
801-010	1	25	02	13.56
801-012	1¼	10	02	37.20
801-015	1½	10	02	37.20
801-020	2	10	02	46.51
801-025	2½	5	02	50.57
801-030	3	5	02	63.20
801-040	4	5	02	73.23
801-060	6	4	02	250.04
801-080	8	2	02	579.92
801-100	10	1	92	1915.92
801-120	12	1	92	2705.81



Slip x Slip x Slip

REDUCER TEE				
Part No	Size (in)	Ctn Qty	Code	List Price
801-072	½ x ½ x ¼	25	02	11.82
801-073	½ x ⅜	25	02	11.82
801-101	¾ x ¾ x ½	25	02	7.92
801-130	1 x 1 x ½	25	02	11.44
801-131	1 x 1 x ¾	25	02	11.44
<b>NEW PRODUCT</b> 801-157	1¼ x 1 x ¾	15	02	18.88
<b>NEW PRODUCT</b> 801-158*	1¼ x 1 x 1	15	02	18.88
<b>NEW PRODUCT</b> 801-159*	1¼ x 1 x 1¼	15	02	18.88
<b>NEW PRODUCT</b> 801-166*	1¼ x 1¼ x ½	10	02	31.56
<b>NEW PRODUCT</b> 801-167*	1¼ x 1¼ x ¾	10	02	24.83
801-168	1¼ x 1¼ x 1	15	02	24.83
<b>NEW PRODUCT</b> 801-202*	1½ x 1¼ x 1	10	02	24.83
<b>NEW PRODUCT</b> 801-209*	1½ x 1½ x ½	10	02	24.83
801-210	1½ x 1½ x ¾	10	02	24.83
801-211	1½ x 1½ x 1	10	02	24.83
801-212	1½ x 1½ x 1¼	10	02	24.83
801-247	2 x 2 x ½	10	02	31.46
801-248	2 x 2 x ¾	10	02	31.46
801-249	2 x 2 x 1	10	02	31.46
801-250	2 x 2 x 1¼	10	02	36.84
801-251	2 x 2 x 1½	10	02	31.46
801-289*	2½ x 2½ x 1	10	02	41.05
801-290	2½ x 2½ x 1¼	5	02	41.05
801-291	2½ x 2½ x 1½	5	02	41.05
801-292	2½ x 2½ x 2	5	02	41.05
801-333*	3 x 3 x ½	5	02	57.67
801-334*	3 x 3 x ¾	5	02	65.08
801-335*	3 x 3 x 1	5	02	57.67
801-336*	3 x 3 x 1¼	5	02	57.67
801-337	3 x 3 x 1½	5	02	57.68
801-338	3 x 3 x 2	5	02	57.68
801-339*	3 x 3 x 2½	6	02	57.67
801-415*	4 x 4 x ½	5	02	114.07
801-416*	4 x 4 x ¾	5	02	114.07



Slip x Slip x Slip

REDUCER TEE con't.				
Part No	Size (in)	Ctn Qty	Code	List Price
<b>NEW PRODUCT</b> 801-417*	4 x 4 x 1	5	02	114.07
<b>NEW PRODUCT</b> 801-418*	4 x 4 x 1¼	5	02	114.07
<b>NEW PRODUCT</b> 801-419*	4 x 4 x 1½	5	02	93.20
801-420	4 x 4 x 2	5	02	93.20
<b>NEW PRODUCT</b> 801-421*	4 x 2½	5	02	273.04
801-422	4 x 4 x 3	5	02	93.20
<b>NEW PRODUCT</b> 801-525*	6 x 6 x 1	6	02	186.23
<b>NEW PRODUCT</b> 801-526*	6 x 6 x 1¼	4	02	242.38
<b>NEW PRODUCT</b> 801-527*	6 x 6 x 1½	4	02	242.38
<b>NEW PRODUCT</b> 801-528*	6 x 6 x 2	6	02	186.23
<b>NEW PRODUCT</b> 801-529*	6 x 6 x 2½	4	02	242.18
801-530	6 x 6 x 3	5	02	186.23
801-532	6 x 6 x 4	5	02	250.04
801-580**	8 x 8 x 3	1	02	677.03
801-585*	8 x 8 x 6	2	02	579.92
801-623*	10 x 10 x 3	1	92	1785.07
801-624*	10 x 10 x 4	1	92	1785.07
801-626*	10 x 10 x 6	1	92	1686.02
801-628*	10 x 10 x 8	1	92	1984.22
801-666*	12 x 12 x 6	1	92	3053.45
801-668*	12 x 12 x 8	1	92	2508.29
801-670*	12 x 12 x 10	1	92	3358.95

\*Sized with BUSHING

\*\* Sized with 2 BUSHINGS



Slip x Slip x FPT

TEE				
Part No	Size (in)	Ctn Qty	Code	List Price
802-005	½	25	02	16.35
802-007	¾	25	02	21.13
802-010	1	25	02	24.73
802-012	1¼	10	02	26.43
802-015	1½	5	02	31.04
802-020	2	5	02	38.31



Slip x Slip x FPT

REDUCING TEE				
Part No	Size (in)	Ctn Qty	Code	List Price
<b>NEW PRODUCT</b> 802-072*	½ x ½ x ¼	25	02	17.35
<b>NEW PRODUCT</b> 802-101*	¾ x ¾ x ½	15	02	15.00
<b>NEW PRODUCT</b> 802-130*	1 x 1 x ½	50	02	15.59
<b>NEW PRODUCT</b> 802-131*	1 x 1 x ¾	15	02	20.03
<b>NEW PRODUCT</b> 802-166*	1¼ x 1¼ x ½	25	02	25.49
<b>NEW PRODUCT</b> 802-167*	1¼ x 1¼ x ¾	15	02	25.49
<b>NEW PRODUCT</b> 802-168*	1¼ x 1¼ x 1	10	02	50.60
<b>NEW PRODUCT</b> 802-209*	1½ x 1½ x ½	25	02	31.56
<b>NEW PRODUCT</b> 802-210*	1½ x 1½ x ¾	20	02	31.56
<b>NEW PRODUCT</b> 802-211*	1½ x 1½ x 1	10	02	31.56
<b>NEW PRODUCT</b> 802-212*	1½ x 1½ x 1¼	10	02	31.56
<b>NEW PRODUCT</b> 802-247*	2 x 2 x ½	10	02	36.05
<b>NEW PRODUCT</b> 802-248*	2 x 2 x ¾	10	02	36.05
<b>NEW PRODUCT</b> 802-249*	2 x 2 x 1	10	02	47.97
802-250	2 x 2 x 1¼	10	02	47.97
802-251	2 x 2 x 1½	10	02	66.88

# PVC SCHEDULE 80 PRICE LIST

## TEES, ELBOWS



Slip x Slip  
x FPT

REDUCING TEE con't.					
Part No	Size (in)	Ctn Qty	Code	List Price	
802-291	2½ x 2½ x 1½	5	02	83.01	
<b>NEW</b> 802-292*	2½ x 2½ x 2	10	02	92.68	
<b>NEW</b> 802-333*	3 x 3 x ½	5	02	65.08	
<b>NEW</b> 802-334*	3 x 3 x ¾	5	02	65.08	
<b>NEW</b> 802-335*	3 x 3 x 1	5	02	78.28	
<b>NEW</b> 802-336*	3 x 3 x 1¼	5	02	78.28	
<b>NEW</b> 802-337*	3 x 3 x 1½	5	02	78.28	
<b>NEW</b> 802-338*	3 x 3 x 2	5	02	99.97	
<b>NEW</b> 802-339*	3 x 3 x 2½	5	02	140.60	
<b>NEW</b> 802-415*	4 x 4 x ½	5	02	114.54	
<b>NEW</b> 802-416*	4 x 4 x ¾	5	02	114.54	
<b>NEW</b> 802-417*	4 x 4 x 1	5	02	114.54	
<b>NEW</b> 802-418*	4 x 4 x 1¼	5	02	114.54	
<b>NEW</b> 802-419*	4 x 4 x 1½	5	02	114.54	
<b>NEW</b> 802-420*	4 x 4 x 2	5	02	171.21	
<b>NEW</b> 802-421*	4 x 4 x 2½	5	02	171.21	
<b>NEW</b> 802-422*	4 x 4 x 3	5	02	191.66	
<b>NEW</b> 802-528*	6 x 6 x 2	1	02	485.38	
<b>NEW</b> 802-529*	6 x 6 x 2½	4	02	266.53	
<b>NEW</b> 802-530*	6 x 6 x 3	5	02	372.08	
<b>NEW</b> 802-532*	6 x 6 x 4	1	02	601.49	

\*Sized with BUSHING



FPT x FPT x FPT

TEE					
Part No	Size (in)	Ctn Qty	Code	List Price	
805-002	¼	25	02	11.94	
805-003	⅜	25	02	11.94	
805-005	½	25	02	11.94	
805-007	¾	25	02	13.28	
805-010	1	25	02	29.33	
805-012	1¼	10	02	31.09	
805-015	1½	10	02	37.69	
805-020	2	10	02	40.52	
805-025	2½	5	02	147.54	
805-030	3	5	02	154.08	
805-040	4	5	02	250.43	

## ELBOWS



Slip x Slip

90° ELL					
Part No	Size (in)	Ctn Qty	Code	List Price	
806-002	¼	25	02	3.66	
806-003	⅜	25	02	3.66	
806-005	½	25	02	3.66	
806-007	¾	25	02	4.67	
806-010	1	25	02	7.56	
806-012	1¼	10	02	10.09	
806-015	1½	10	02	10.81	
806-020	2	10	02	13.07	
806-025	2½	5	02	30.57	
806-030	3	5	02	34.36	
806-040	4	5	02	52.25	
806-060	6	4	02	148.68	
806-080	8	2	02	409.82	
806-100	10	1	92	1834.08	
806-120	12	1	92	2390.86	



Slip x FPT

90° ELL					
Part No	Size (in)	Ctn Qty	Code	List Price	
807-005	½	25	02	14.40	
807-007	¾	25	02	16.94	
807-010	1	25	02	18.33	
807-012	1¼	10	02	21.13	
807-015	1½	10	02	25.21	
807-020	2	10	02	32.65	



FPT x FPT

REDUCING 90° ELL					
Part No	Size (in)	Ctn Qty	Code	List Price	
808-002	¼	25	02	9.08	
808-003	⅜	25	02	9.08	
808-005	½	25	02	8.47	
808-007	¾	25	02	10.56	
808-010	1	25	02	13.28	
808-012	1¼	10	02	14.32	
808-015	1½	10	02	20.31	
808-020	2	10	02	22.87	
808-025	2½	5	02	89.05	
808-030	3	5	02	143.60	
808-040	4	5	02	252.67	



Slip x Slip

11¼° ELL					
Part No	Size (in)	Ctn Qty	Code	List Price	
861-100*	10	1	92	720.87	
861-120*	12	1	92	1055.29	

\* Fabricated from Pipe



Slip x Slip

22 1/2° ELL				
Part No	Size (in)	Ctn Qty	Code	List Price
865-020	2	50	02	36.24
865-030	3	50	02	92.89
865-100*	10	1	92	720.87
865-120*	12	1	92	1055.29

Note: Meets ASTM D-2467 socket and wall dimensions, but fitting pattern is not in D-2467. Working pressure rating of 150 p.s.i. Not NSF Standard 14 Listed.  
\* Fabricated from Pipe



Slip x Slip

30° ELL				
Part No	Size (in)	Ctn Qty	Code	List Price
815-060	6	8	02	210.18



Slip x Slip

45° ELL				
Part No	Size (in)	Ctn Qty	Code	List Price
817-002	1/4	25	02	13.11
817-003	3/8	50	02	13.11
817-005	1/2	25	02	6.89
817-007	3/4	25	02	10.54
817-010	1	25	02	15.79
817-012	1 1/4	10	02	20.12
817-015	1 1/2	10	02	23.79
817-020	2	10	02	30.83
817-025	2 1/2	5	02	64.73
817-030	3	5	02	78.79
817-040	4	5	02	141.89
817-060	6	4	02	178.68
817-080	8	2	02	387.40
817-100	10	1	92	1219.66
817-120	12	1	92	1573.28



FPT x FPT

45° ELL				
Part No	Size (in)	Ctn Qty	Code	List Price
819-005	1/2	25	02	13.60
819-007	3/4	20	02	14.61
819-010	1	25	02	18.35
819-012	1 1/4	15	02	27.99
819-015	1 1/2	10	02	35.19
819-020	2	5	02	52.17
819-025	2 1/2	5	02	103.22
819-030	3	5	02	166.03
819-040	4	5	02	238.25

## CROSS



Slip x Slip  
x Slip x Slip

CROSS				
Part No	Size (in)	Ctn Qty	Code	List Price
820-015	1 1/2	25	02	90.18
820-020	2	4	02	100.46
820-030	3	5	02	170.86
820-040	4	3	02	297.27



Slip x Slip  
x Slip x Slip

REDUCING CROSS				
Part No	Size (in)	Ctn Qty	Code	List Price
820-209*	1 1/2 X 1/2	20	02	109.51
820-210*	1 1/2 X 3/4	15	02	109.51
820-211*	1 1/2 X 1	25	02	109.51
820-212*	1 1/2 X 1 1/4	25	02	109.51

\*Sized with BUSHING

## COUPLINGS



Slip x Slip

COUPLING				
Part No	Size (in)	Ctn Qty	Code	List Price
829-002	1/4	25	02	10.60
829-003	3/8	25	02	10.60
829-005	1/2	25	02	6.62
829-007	3/4	25	02	8.97
829-010	1	25	02	9.22
829-012	1 1/4	10	02	14.04
829-015	1 1/2	10	02	15.14
829-020	2	10	02	16.25
829-025	2 1/2	5	02	40.01
829-030	3	5	02	45.95
829-040	4	5	02	57.54
829-060	6	5	02	123.83
829-080	8	4	02	168.52
829-100	10	1	02	578.40
829-120	12	1	02	666.60



Slip x Slip

REDUCER COUPLING				
Part No	Size (in)	Ctn Qty	Code	List Price
829-052*	3/8 X 1/4	25	02	10.60
829-072*	1/2 X 1/4	25	02	10.60
829-101	3/4 X 1/2	20	02	8.12
829-131	1 X 3/4	25	02	11.82
829-166*	1 1/4 X 1/2	25	02	24.01
829-167*	1 1/4 X 3/4	25	02	24.01
829-168	1 1/4 X 1	10	02	24.01
829-209*	1 1/2 X 1/2	25	02	25.13
829-210*	1 1/2 X 3/4	25	02	25.13
829-211	1 1/2 X 1	10	02	31.04



Slip x Slip

REDUCER COUPLING con't.					
Part No	Size (in)	Ctn Qty	Code	List Price	
829-212	1½ x 1¼	10	02	31.04	
<b>NEW PRODUCT</b> 829-247*	2 x ½	25	02	28.35	
<b>NEW PRODUCT</b> 829-248*	2 x ¾	10	02	28.35	
<b>NEW PRODUCT</b> 829-249*	2 x 1	25	02	28.35	
<b>NEW PRODUCT</b> 829-250*	2 x 1¼	10	02	28.35	
<b>NEW PRODUCT</b> 829-251	2 x 1½	5	02	28.35	
<b>NEW PRODUCT</b> 829-290*	2½ x 1¼	10	02	53.55	
<b>NEW PRODUCT</b> 829-291*	2½ x 1½	10	02	37.81	
<b>NEW PRODUCT</b> 829-292*	2½ x 2	10	02	37.81	
<b>NEW PRODUCT</b> 829-335*	3 x 1	8	02	86.45	
<b>NEW PRODUCT</b> 829-336*	3 x 1¼	6	02	86.45	
<b>NEW PRODUCT</b> 829-337*	3 x 1½	8	02	86.45	
<b>NEW PRODUCT</b> 829-338	3 x 2	5	02	69.62	
<b>NEW PRODUCT</b> 829-339*	3 x 2½	10	02	99.27	
<b>NEW PRODUCT</b> 829-417*	4 x 1	6	02	143.77	
<b>NEW PRODUCT</b> 829-419*	4 x 1½	6	02	143.77	
<b>NEW PRODUCT</b> 829-420*	4 x 2	6	02	132.72	
<b>NEW PRODUCT</b> 829-421*	4 x 2½	4	02	132.72	
<b>NEW PRODUCT</b> 829-422	4 x 3	5	02	131.16	
<b>NEW PRODUCT</b> 829-528*	6 x 2	6	02	328.40	
<b>NEW PRODUCT</b> 829-530*	6 x 3	12	02	331.75	
829-532	6 x 4	5	02	267.52	
829-585	8 x 6	2	02	810.23	
829-619*	10 x 2	1	92	1082.17	
829-623*	10 x 3	1	92	1005.20	
829-624*	10 x 4	1	92	948.55	
829-626*	10 x 6	1	92	1093.19	

\*Sized with BUSHING



FPT x FPT

COUPLING					
Part No	Size (in)	Ctn Qty	Code	List Price	
830-002	¼	25	02	7.95	
830-005	½	25	02	7.40	
830-007	¾	25	02	10.58	
830-010	1	25	02	11.35	
830-012	1¼	10	02	14.04	
830-015	1½	10	02	31.24	
830-020	2	10	02	32.80	
830-025	2½	5	02	78.29	
830-030	3	5	02	91.81	
830-040	4	5	02	158.98	

## ADAPTERS



Slip x FPT

FEMALE ADAPTER					
Part No	Size (in)	Ctn Qty	Code	List Price	
835-002	¼	50	02	11.21	
835-005	½	25	02	6.20	
835-007	¾	25	02	9.22	
835-010	1	25	02	13.59	
835-012	1¼	10	02	22.01	
835-015	1½	10	02	26.98	
835-020	2	10	02	47.07	
835-025	2½	5	02	74.32	
835-030	3	5	02	83.66	
835-040	4	5	02	143.79	



MPT x Slip

MALE ADAPTER					
Part No	Size (in)	Ctn Qty	Code	List Price	
836-005	½	25	02	7.75	
836-007	¾	25	02	8.55	
836-010	1	25	02	14.78	
836-012	1¼	10	02	17.28	
836-015	1½	10	02	24.83	
836-020	2	10	02	35.92	
836-025	2½	5	02	40.82	
836-030	3	5	02	45.31	
836-040	4	5	02	80.62	



SP x Slip

REDUCER BUSHING (FLUSH STYLE)					
Part No	Size (in)	Ctn Qty	Code	List Price	
837-052	3/8 x 1/4	25	02	5.85	
837-072	1/2 x 1/4	25	02	5.85	
837-073	1/2 x 3/8	25	02	5.85	
837-101	3/4 x 1/2	25	02	2.13	
<b>NEW</b> 837-129*	1 x 3/8	50	02	12.20	
837-130	1 x 1/2	25	02	6.12	
837-131	1 x 3/4	25	02	6.12	
837-166	1 1/4 x 1/2	10	02	9.60	
837-167	1 1/4 x 3/4	10	02	9.60	
837-168	1 1/4 x 1	10	02	9.60	
837-209	1 1/2 x 1/2	10	02	13.07	
837-210	1 1/2 x 3/4	10	02	13.07	
837-211	1 1/2 x 1	10	02	13.07	
837-212	1 1/2 x 1 1/4	10	02	13.07	
837-247	2 x 1/2	10	02	18.62	
837-248	2 x 3/4	10	02	18.62	
837-249	2 x 1	10	02	18.62	
837-250	2 x 1 1/4	10	02	18.62	
837-251	2 x 1 1/2	10	02	18.62	
<b>NEW</b> 837-287*	2 1/2 x 1/2	10	02	43.25	
<b>NEW</b> 837-288*	2 1/2 x 3/4	10	02	43.25	
837-289	2 1/2 x 1	10	02	32.34	
837-290	2 1/2 x 1 1/4	10	02	32.34	
837-291	2 1/2 x 1 1/2	10	02	32.34	
837-292	2 1/2 x 2	10	02	32.34	
<b>NEW</b> 837-333*	3 x 1/2	10	02	59.56	
<b>NEW</b> 837-334*	3 x 3/4	10	02	57.66	
837-335	3 x 1	5	02	51.32	
837-336	3 x 1 1/4	5	02	51.32	
837-337	3 x 1 1/2	5	02	51.32	
837-338	3 x 2	5	02	51.32	
837-339	3 x 2 1/2	5	02	51.32	
<b>NEW</b> 837-415*	4 x 1/2	6	02	91.21	
<b>NEW</b> 837-416*	4 x 3/4	6	02	91.21	
<b>NEW</b> 837-417*	4 x 1	6	02	91.21	
<b>NEW</b> 837-418*	4 x 1 1/4	6	02	91.21	
<b>NEW</b> 837-419*	3 x 1 1/2	6	02	91.21	
837-420	4 x 2	5	02	71.04	
837-421	4 x 2 1/2	5	02	71.04	
837-422	4 x 3	5	02	71.04	
<b>NEW</b> 837-524*	6 x 3/4	5	02	118.58	
<b>NEW</b> 837-525*	6 x 1	5	02	112.65	
<b>NEW</b> 837-526*	6 x 1 1/4	5	02	118.58	
<b>NEW</b> 837-527*	6 x 1 1/2	5	02	118.58	
837-528	6 x 2	5	02	98.79	
<b>NEW</b> 837-529*	6 x 2 1/2	5	02	153.17	
837-530	6 x 3	5	02	98.79	
837-532	6 x 4	5	02	98.79	
<b>NEW</b> 837-580*	8 x 3	4	02	346.02	
<b>NEW</b> 837-582*	8 x 4	4	02	240.33	
837-585	8 x 6	5	02	240.31	
837-624*	10 x 4	1	92	669.11	
837-626	10 x 6	1	92	564.56	
837-628	10 x 8	1	92	564.56	
837-666*	12 x 6	1	92	910.98	



SP x Slip

REDUCER BUSHING (FLUSH STYLE) con't.				
Part No	Size (in)	Ctn Qty	Code	List Price
837-668	12 x 8	1	92	652.43
837-670	12 x 10	1	92	652.43

\*Sized with Bushing



SP x FPT

REDUCER BUSHING (FLUSH STYLE)				
Part No	Size (in)	Ctn Qty	Code	List Price
838-052	3/8 x 1/4	25	02	5.85
838-072	1/2 x 1/4	25	02	5.85
838-098	3/4 x 1/4	50	02	3.86
838-101	3/4 x 1/2	25	02	3.86
<b>NEW</b> 838-128*	1 x 1/2	50	02	6.71
838-130	1 x 1/2	25	02	6.12
838-131	1 x 3/4	25	02	6.12
838-166	1 1/4 x 1/2	25	02	12.41
838-167	1 1/4 x 3/4	10	02	12.41
838-168	1 1/4 x 1	10	02	12.41
<b>NEW</b> 838-207	1 1/2 x 1/4	25	02	14.78
838-209	1 1/2 x 1/2	10	02	15.57
838-210	1 1/2 x 3/4	10	02	15.57
838-211	1 1/2 x 1	10	02	15.57
838-212	1 1/2 x 1 1/4	10	02	15.57
838-247	2 x 1/2	10	02	19.03
838-248	2 x 3/4	10	02	19.03
838-249	2 x 1	10	02	19.03
838-250	2 x 1 1/4	10	02	19.03
838-251	2 x 1 1/2	10	02	19.03
<b>NEW</b> 838-287*	2 1/2 x 1/2	10	02	40.29
<b>NEW</b> 838-288*	2 1/2 x 3/4	10	02	40.29
<b>NEW</b> 838-290*	2 1/2 x 1 1/4	10	02	40.29
<b>NEW</b> 838-291*	2 1/2 x 1 1/2	10	02	40.29
838-292	2 1/2 x 2	10	02	40.28
<b>NEW</b> 838-334*	3 x 3/4	10	02	74.60
<b>NEW</b> 838-335*	3 x 1	10	02	74.60
<b>NEW</b> 838-336*	3 x 1 1/4	10	02	74.60
<b>NEW</b> 838-337*	3 x 1 1/2	10	02	74.60
838-338	3 x 2	5	02	74.60
838-339	3 x 2 1/2	5	02	74.60
<b>NEW</b> 838-419*	3 x 1 1/2	6	02	144.19
838-420	4 x 2	5	02	114.60
<b>NEW</b> 838-421*	4 x 2 1/2	6	02	114.60
838-422	4 x 3	5	02	114.60
<b>NEW</b> 838-528*	6 x 2	5	02	132.01
<b>NEW</b> 838-530*	6 x 3	5	02	132.01
838-532	6 x 4	5	02	132.02



MPT x FPT

REDUCER BUSHING (FLUSH STYLE)				
Part No	Size (in)	Ctn Qty	Code	List Price
839-052	3/8 x 1/4	25	02	13.35
839-072	1/2 x 1/4	25	02	13.35
839-073	1/2 x 3/8	25	02	13.35
839-098	3/4 x 1/4	25	02	9.95
839-099	3/4 x 3/8	25	02	9.95
839-101	3/4 x 1/2	25	02	8.20
839-128	1 x 1/4	25	02	16.07
839-129	1 x 3/8	25	02	12.84



MPT x FPT

<b>REDUCER BUSHING (FLUSH STYLE) con't.</b>				
Part No	Size (in)	Ctn Qty	Code	List Price
839-130	1 x 1/2	25	02	12.84
839-131	1 x 3/4	25	02	12.84
839-166	1 1/4 x 1/2	10	02	13.62
839-167	1 1/4 x 3/4	10	02	13.62
839-168	1 1/4 x 1	10	02	13.62
839-209	1 1/2 x 1/2	10	02	16.15
839-210	1 1/2 x 3/4	10	02	16.15
839-211	1 1/2 x 1	10	02	16.15
839-212	1 1/2 x 1 1/4	10	02	16.15
839-247	2 x 1/2	10	02	23.65
839-248	2 x 3/4	10	02	23.65
839-249	2 x 1	10	02	23.65
839-250	2 x 1 1/4	10	02	23.65
839-251	2 x 1 1/2	10	02	23.65
839-292	2 1/2 x 2	5	02	32.04
839-337	3 x 1 1/2	5	02	43.52
839-338	3 x 2	5	02	43.52
839-339	3 x 2 1/2	5	02	43.52
839-420	4 x 2	5	02	87.83
839-422	4 x 3	5	02	114.60

**CAPS**



FPT

<b>CAP</b>				
Part No	Size (in)	Ctn Qty	Code	List Price
848-002	1/4	25	02	8.12
848-003	3/8	25	02	8.12
848-005	1/2	25	02	8.12
848-007	3/4	25	02	9.08
848-010	1	25	02	11.44
848-012	1 1/4	10	02	13.62
848-015	1 1/2	10	02	15.57
848-020	2	10	02	30.57
848-025	2 1/2	5	02	61.15
848-030	3	5	02	71.99
848-040	4	5	02	126.77



MPT x BSP

<b>REDUCER BUSHING (FLUSH STYLE)</b>				
Part No	Size (in)	Ctn Qty	Code	List Price
845-249	2 x 1	10	02	24.18

**PLUGS**



SP

<b>PLUG</b>				
Part No	Size (in)	Ctn Qty	Code	List Price
849-007	3/4	50	02	6.75
849-010	1	50	02	7.61
849-012	1 1/4	25	02	9.72
849-015	1 1/2	10	02	10.66
849-020	2	5	02	14.11

**CAPS**



Slip

<b>CAP</b>				
Part No	Size (in)	Ctn Qty	Code	List Price
847-002	1/4	25	02	8.42
847-003	3/8	25	02	8.42
847-005	1/2	25	02	6.48
847-007	3/4	25	02	6.83
847-010	1	25	02	12.14
847-012	1 1/4	10	02	14.65
847-015	1 1/2	10	02	14.65
847-020	2	10	02	28.93
847-025	2 1/2	5	02	59.07
847-030	3	5	02	69.12
847-040	4	5	02	116.56
847-060	6	4	02	289.95
847-080	8	4	02	372.27
847-100	10	1	92	380.82
847-120	12	1	92	571.52



MPT

<b>PLUG</b>				
Part No	Size (in)	Ctn Qty	Code	List Price
850-002	1/4	25	02	7.00
850-003	3/8	25	02	7.00
850-005	1/2	25	02	6.24
850-007	3/4	25	02	6.48
850-010	1	25	02	7.95
850-012	1 1/4	10	02	11.72
850-015	1 1/2	10	02	14.24
850-020	2	10	02	14.61
850-025	2 1/2	5	02	40.82
850-030	3	5	02	47.63
850-040	4	5	02	92.73





Slip

FLANGE (SOLID STYLE)				
Part No	Size (in)	Ctn Qty	Code	List Price
851-005	1/2	25	02	20.06
851-007	3/4	25	02	21.44
851-010	1	25	02	23.87
851-012	1 1/4	10	02	24.58
851-015	1 1/2	10	02	25.13
851-020	2	10	02	33.45
851-025	2 1/2	5	02	51.63
851-030	3	5	02	57.01
851-040	4	5	02	72.20
851-060	6	5	02	113.52

See NOTE under Flange Installation Data (pg. 2)



FPT

FLANGE (SOLID STYLE)				
Part No	Size (in)	Ctn Qty	Code	List Price
852-005	1/2	25	02	24.01
852-007	3/4	25	02	28.14
852-010	1	25	02	30.80
852-012	1 1/4	10	02	42.47
852-015	1 1/2	10	02	46.35
852-020	2	10	02	47.40
852-025	2 1/2	5	02	108.99
852-030	3	5	02	112.18
852-040	4	5	02	210.77

See NOTE under Flange Installation Data (pg. 2)



Blind

FLANGE				
Part No	Size (in)	Ctn Qty	Code	List Price
853-005	1/2	5	02	28.12
853-007	3/4	5	02	33.51
853-010	1	5	02	45.75
853-012	1 1/4	10	02	56.16
853-015	1 1/2	5	02	56.16
853-020	2	5	02	83.92
853-025	2 1/2	5	02	136.71
853-030	3	5	02	164.97
853-040	4	5	02	205.53
853-060	6	2	02	249.74
853-080	8	2	02	312.61

See NOTE under Flange Installation Data (pg. 2)



Slip

FLANGE (LOOSE RING)				
Part No	Size (in)	Ctn Qty	Code	List Price
854-005	1/2	5	02	20.03
854-007	3/4	5	02	21.43
854-010	1	5	02	23.85
854-012	1 1/4	5	02	24.57
854-015	1 1/2	5	02	25.07
854-020	2	5	02	33.40
854-025	2 1/2	5	02	51.58
854-030FT	3	5	02	56.99
854-040FT	4	5	02	72.09
854-050FT	5	5	02	113.42
854-060FT	6	5	02	113.42
854-080FT	8	5	02	184.68



Slip



SP

FLANGE (LOOSE RING) con't.				
Part No	Size (in)	Ctn Qty	Code	List Price
854-100FT	10	2	92	239.11
854-120FT	12	1	92	257.80

FT Represents FiberTuff Ring.

See NOTE under Flange Installation Data (pg. 2)

FLANGE (LOOSE RING)				
Part No	Size (in)	Ctn Qty	Code	List Price
856-005	1/2	25	02	20.15
856-007	3/4	25	02	21.59
856-010	1	5	02	24.06
856-012	1 1/4	10	02	24.82
856-015	1 1/2	5	02	25.31
856-020	2	5	02	33.65
856-025	2 1/2	5	02	52.01
856-030FT	3	5	02	57.45
856-040FT	4	5	02	72.69
856-050FT	5	5	02	113.41
856-060FT	6	5	02	114.34
856-080FT	8	5	02	204.56
856-100FT	10	2	92	239.11
856-120FT	12	2	92	257.80

FT Represents FiberTuff Ring.

See NOTE under Flange Installation Data (pg. 2)



SP

FLANGE HUB SPIGOT				
Part No	Size (in)	Ctn Qty	Code	List Price
82060	3	5	02	21.09
82062	4	5	02	31.56
82063	5	5	02	63.11
82064	6	5	02	69.01
82065	8	2	02	154.20
82066	10	2	92	187.83
82067	12	2	92	208.34



Slip

FLANGE HUB SOCKET				
Part No	Size (in)	Ctn Qty	Code	List Price
82090	3	5	02	18.33
82092	4	5	02	25.92
82093	5	5	02	56.20
82094	6	5	02	48.00
82095	8	5	02	132.02
82096	10	2	92	173.44
82097	12	1	92	199.62



FLANGE GASKET				
Part No	Size (in)	Ctn Qty	Code	List Price
20GE	FOR 2" FLANGE	25	VB	2.41
25GE	FOR 2 1/2" FLANGE	25	VB	3.56
30GE	FOR 3" FLANGE	25	VB	3.56
40GE	FOR 4" FLANGE	25	VB	4.21
50GE	FOR 5" FLANGE	10	VB	5.62
60GE	FOR 6" FLANGE	10	VB	7.98
80GE	FOR 8" FLANGE	5	VB	12.57
100GE	FOR 10" FLANGE	5	VB	14.67
120GE	FOR 12" FLANGE	5	VB	18.84

NOTE: Bolt sets for Flange x Flange connections are not offered.

For bolt size and quantity requirements, see page 2.

Gaskets are: EPDM material, ANSI B16.5 Class 150 dimensions, 1/8" Thick

## NIPPLES



MPT x MPT

### REDUCING TBE NIPPLE

Part No	Size (in)	Ctn Qty	Code	List Price
882-101	¾ x ½	50	02	7.36

See Nipple Price List (discounts will vary)

## WYES



Slip x Slip x Slip

### WYE

Part No	Size (in)	Ctn Qty	Code	List Price
875-020 †	2	5	01	112.15
875-030 ‡	3	5	01	360.54
875-040 ‡	4	4	01	496.34
875-060 ‡	6	5	01	610.15
875-080 §	8	5	01	1227.03

† 235 psi working pressure  
‡ 150 psi working pressure  
§ 100 psi working pressure



Slip x Slip x Slip

### REDUCING WYE

Part No	Size (in)	Ctn Qty	Code	List Price
<b>NEW PRODUCT</b> 875-247* †	2 x 2 x ½	10	02	133.42
<b>NEW PRODUCT</b> 875-248* †	2 x 2 x ¾	10	02	133.42
<b>NEW PRODUCT</b> 875-249* †	2 x 2 x 1	10	02	133.42
<b>NEW PRODUCT</b> 875-250* †	2 x 2 x 1¼	10	02	133.42
<b>NEW PRODUCT</b> 875-251* †	2 x 2 x 1½	10	02	133.42
<b>NEW PRODUCT</b> 875-335* ‡	3 x 3 x 1	5	02	420.24
<b>NEW PRODUCT</b> 875-336* ‡	3 x 3 x 1¼	5	02	420.24
<b>NEW PRODUCT</b> 875-337* ‡	3 x 3 x 1½	5	02	420.24
<b>NEW PRODUCT</b> 875-338* ‡	3 x 3 x 2	4	02	420.24
<b>NEW PRODUCT</b> 875-339* ‡	3 x 3 x 2½	5	02	420.24
875-420* ‡	4 x 4 x 2	4	02	528.35
875-422* ‡	4 x 4 x 3	4	02	528.35
875-528* ‡	6 x 6 x 2	5	02	575.28
875-530* ‡	6 x 6 x 3	5	02	575.28
875-532 ‡	6 x 6 x 4	5	02	465.02
875-578* §	8 x 8 x 2	1	02	1605.15
875-580* §	8 x 8 x 3	1	02	1605.15
875-582 §	8 x 8 x 4	1	02	1227.03
875-585* §	8 x 8 x 6	1	02	1497.32

\* Sized with Bushing  
† 235 psi working pressure  
‡ 150 psi working pressure  
§ 100 psi working pressure

## UNIONS



Slip x MPT

### UNION (O-RING TYPE)

Part No	Size (in)	Ctn Qty	Code	List Price
896-005	½	10	02	18.20
896-007	¾	10	02	19.23
896-010	1	10	02	27.03
896-012	1¼	5	02	52.47
896-015	1½	5	02	55.59
896-020	2	5	02	67.99
896-030	3	5	02	153.42
896-168	1¼ x 1	5	02	71.56

Pressure rated at 235 p.s.i. at 73°F.  
Unions are listed as NSF 61.



Slip x Slip

### UNION (O-RING TYPE)

Part No	Size (in)	Ctn Qty	Code	List Price
897-002	¼	25	02	25.39
897-003	⅜	25	02	25.39
897-005	½	10	02	13.29
897-007	¾	10	02	17.26
897-010	1	10	02	19.69
897-012	1¼	5	02	39.13
897-015	1½	5	02	44.31
897-020	2	5	02	60.05
897-030	3	5	02	111.83
897-040	4	4	02	143.61

Pressure rated at 235 p.s.i. at 73°F.  
Unions are listed as NSF 61.



FPT x FPT

### UNION (O-RING TYPE)

Part No	Size (in)	Ctn Qty	Code	List Price
898-005	½	10	02	15.76
898-007	¾	10	02	22.08
898-010	1	10	02	29.34
898-012	1¼	5	02	55.99
898-015	1½	5	02	69.33
898-020	2	5	02	106.66
898-030	3	5	02	270.56
898-040	4	4	02	317.94

Pressure rated at 235 p.s.i. at 73°F.  
Unions are listed as NSF 61.



Slip x FPT

### UNION (O-RING TYPE)

Part No	Size (in)	Ctn Qty	Code	List Price
899-005	½	10	02	16.55
899-007	¾	10	02	23.14
899-010	1	10	02	30.77
899-012	1¼	5	02	58.78
899-015	1½	5	02	72.76
899-020	2	5	02	112.01

Pressure rated at 235 p.s.i. at 73°F.  
Unions are listed as NSF 61.



Viton

UNION O-RING (CURRENT STYLE)				
Part No	Size (in)	Ctn Qty	Code	List Price
80115	1/2	1	02	2.74
80118	3/4	1	02	3.03
80215	1	1	02	3.72
80221	1 1/4	1	02	6.38
80223	1 1/2	1	02	7.02
80227	2	1	02	7.02
80235	3	1	02	15.96



Viton

UNION O-RING (PRIOR TO 2004)				
Part No	Size (in)	Ctn Qty	Code	List Price
80213	1/2	1	02	2.74
80216	3/4	1	02	3.03
80222	1	1	02	3.72
80225	1 1/4	1	02	6.38
80227	1 1/2	1	02	7.02
80231	2	1	02	8.61
80240	3	1	02	15.96



CUSTOMER SERVICE  
Phone: (800) 776-2756 | Fax: (731) 772-0835  
Email: customerservice@lascofittings.com  
www.lascofittings.com

## Limited Warranty

LASCO Fittings, Inc. products are warranted to be free from manufacturing defects in materials and workmanship. They are warranted against rot, rust, and electrolytic corrosion for a period of three years from date of installation. If LASCO products prove defective due to manufacturing defects in material or workmanship during that period, the manufacturer will provide new replacement units of the same type and size. No remedy will be granted under this warranty if LASCO products are not used strictly in accordance with LASCO's directions with respect to use and storage or if the products have been modified in any way.

THE MANUFACTURER'S LIABILITY UNDER EXPRESSED OR IMPLIED WARRANTY OR FOR ANY REASON IS LIMITED TO FURNISHING REPLACEMENT UNITS OR GRANTING A CREDIT FOR DEFECTIVE UNITS. NO LABOR EXPENSE OR CONSEQUENTIAL DAMAGES WILL BE PAID BY LASCO. THIS WARRANTY IS IN LIEU OF ALL OTHER GUARANTEES AND WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PURPOSE, EXCEPT FOR ANY WARRANTIES IMPLIED BY LAW FOR NONCOMMERCIAL CONSUMERS. ANY SUCH WARRANTIES ARE LIMITED TO THE DURATION OF THIS WRITTEN WARRANTY.

DO NOT USE LASCO FITTINGS FOR COMPRESSED AIR OR GASES.  
DO NOT TEST PVC PIPING SYSTEMS WITH COMPRESSED AIR OR GASES.  
DO NOT USE FITTINGS WITH LIQUIDS NOT RECOMMENDED BY LASCO.  
MODIFICATIONS OF FITTINGS VOIDS THE WARRANTY.

## STANDARDS AND SPECIFICATIONS – SCHEDULE 80P

- ASTM D-1784 – Rigid Poly (Vinyl Chloride) (PVC) Compounds and Chlorinated Poly Vinyl Chloride) (CPVC) Compounds.
- ASTM D-2464 – Threaded type Poly (Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80.
- ASTM D-2467 – Socket Type Poly (Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80.
- ASTM F-1970 – Standard Specification for Special Engineered Fittings, Appurtenances or Valves for use in Poly (Vinyl Chloride) (PVC) or Chlorinated Poly (Vinyl Chloride) (CPVC) Systems.
- MATERIAL – LASCO Schedule 80 Fittings are produced from PVC TYPE 1, CELL Classification 12454-B.
  - O-RINGS are produced from a fluorocarbon elastomer (VITON).
- LISTINGS – NSF (National Sanitation Foundation) for potable water services.

## Standard Terms and Conditions of Sale

1. Terms: 2% 35 days, net 45 days.
2. Freight: FOB LASCO warehouses. Prepaid on orders totaling **\$1500 net** for one shipment to single destination within the contiguous United States.
3. Minimum Order: **\$100 net**. Smaller orders billed at this minimum charge.
4. Claims for shipping errors must be made within 15 days to LASCO. Claims for damage or shortages should be directed promptly to the common carrier by the consignee.
5. Returns will be accepted only by prior authorization and if shipped freight prepaid. Returned merchandise subject to a **MINIMUM 25%** handling/restocking charge.
6. Pricing is subject to change without prior notice. However, prior notification will be given in the event of price changes in the period between order placement and scheduled shipment.
7. Offer to sell is not implied by possession of this or other LASCO price lists.

### REVISIONS:

- |          |   |
|----------|---|
| 7.27.17  | PAGE 3 - PRICING CORRECTED ON ITEMS 801-418 THROUGH 801-422 |
| 8.15.17  | PAGE 10 - CORRECTION TO SIZING ON 875-060, 875-080          |
| 12.27.17 | PAGE 10 - CORRECTION TO PART NUMBER 897-012                 |